

NOTE: HEIGHT DEPENDS ON CAN. 35 QT = 20.50 MIN. 50 QT = 24.50 MIN.

PART DIMENSIONS							
MIN MAX							
WIDTH	12.00						
DEPTH	22.20						
HEIGHT	19.43	23.33					
CONTAINTER CAPACITY	35 OR 50						
CONTAINER UOM	QUART						

MIN CABINET OPENING					
WIDTH 12.00					
DEPTH 22.25					
HEIGHT SEE NOTE					


PRODUCT MAX WEIGHT RATING


SLIDE SPECIFICATIONS						
SLIDE TYPE UNDERMOUNT SLIDE EXTENSION .75 OT MAX WEIGHT						
SLIDE CLOSING	SOFT	21.00	RATING			
SLIDE MOUNTING	воттом	SLIDE FINISH	ZINC	100 LB		

CUSTOMER DRAWING

This drawing is the property of Rev-A-Sheff (RAS) and is disclosed no confidence to the extent its subject matter is original to RAS. Any rendor receiving this drawing from RAS shall hold and use this drawing perioduc it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Any or the RAS is the received any physical dimensional of Economics of RAS. Seed to the received and the received and the received and the received the received the received and the received and the received the received the received and the received received the received received the received r

					7th ILItaCrat			DATE		10)(41))(((10)	(41) (44)		
				INCH	PROJECTION	DRAWN	KRR	Ω / 16			Mary In	c.	
				[MM]		D	KININ	8-4-16	SIZE	DOUBLE 3	0 OUAF	RT W	ASTE
				-					В	CONTAINER			
				-	TOLERANCE		MATE		DRA	WING NO.	SCALE		
				MAT. (WOOL	DEC. D) .XX .03 [.8mn	ANGLES 1 1/2	ł			4WWC-15D	И 1-5 0С2.	50	
				(OTHE	R) .XX .02 [.5mn XXX .005 [.13 mr	n]	FINISH	1	PAR	T NO. 4WWC-15DI	SHEET	OĘ	
REV.	DATE	BY	DESCRIPTION OF CHANGE	FRACT					ı	4WWC-15D	и 1 -SC2	: 2	





NOTE: HEIGHT DEPENDS ON CAN. 35 QT = 20.50 MIN. 50 QT = 24.50 MIN.

PART DIMENSIONS							
	MIN	MAX					
WIDTH	12.00						
DEPTH	22.20						
HEIGHT	19.43	23.33					
CONTAINTER CAPACITY	35 OR 50						
CONTAINER UOM	QUART						

MIN CABINET OP	ENING
WIDTH	12.00
DEPTH	22.25
HEIGHT	SEE NOTE

PRODUCT MAX WEIGHT RATING

SLIDE SPECIFICATIONS						
SLIDE TYPE	UNDERMOUNT	SLIDE EXTENSION	.75 OT	MAX WEIGHT		
SLIDE CLOSING	SOFT	SLIDE LENGTH	21.00	RATING		
SLIDE MOUNTING	BOTTOM	SLIDE FINISH	ZINC	IOO LB		

CUSTOMER DRAWING

for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or (OTHER).XX ±.03 [.8mm]	This drawing is the property of Rev-A-Shelf (RAS) and is disclosed			INCH AMERICAN BY DAT DRAWN KRR 8-4	SIZE DOUBLE 30 QUART WASTE
REV. DATE BY DESCRIPTION OF CHANGE FRACTIONS ±1/32 [.8 mm] 4WWC = 15DM = 5C 2	for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission	REV. DATE BY	DESCRIPTION OF CHANGE	MAT. DEC. ANGLES ±1/2° (OTHER) .XX ±.03 [.8mm] + 1/2° (OTHER) .XX ±.02 [.5mm] FINISH	B CONTAINER BLUM SOFT CLOSE DRAWING NO. 4WWC-15DMI-SC 0.250 PART NO. 4WWC-15DMI-SC SHEET 2 0F 2