

CUSTOMER DRAWING

٩N		BY	DATE	DEN DARVENCO					
ON	DRAWN	KRR	2 - 19 - 21		Mel Ardineyr, INC.				
\neg	Divinit			SIZE	SINGLE 35QT TOP MOUNT				
\Box				В	SOFT CLOSE				
NCES .8mm]	ANGLES	MATE	RIAL	dra 4W	wing no. CTM-12BBSCDM1 0.188				
.5mm 3 mm .8 mn]	FINISH	Z-19-21 INGLE 35QT TOP MOUNT B SOFT CLOSE BRAWING NO. SCALE 4WCTM-12BBSCDM1 O.188						

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

W		D	Т	ŀ
D	E	Р	T	ŀ
Η	E		G	┝
С	0	N	T	ŀ
С	0	N	Т	ŀ


	MIN CABINET OPENING									
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS						
WIDTH	12.00	12.00	12.00	12.00						
DEPTH	22.75	22.75	23.50	23.50						
HEIGHT	18.35	18.35	18.35	18.35						

SLIDE SPECIFICATIONS									
SLIDE MANUFACTURER									
SLIDE PART NUMBER	F X 8 I 2 2	RELEASE PART NUMBER							
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	I.50" OT	MAX WEIGHT					
SLIDE CLOSING	SOFT	SLIDE LENGTH	22.00 [560]	RATING					
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	150 LB					

_			INCH	AMERICAN PROJECTION	DRAWN	by K R R	DATE 2 - 9 - 2	0.75	REV-A-SHE	
			[MM]	$ \bigoplus \left(- \right) $				SIZE B	SINGLE 35QT T SOFT CL	OP MOUNT OSE
			MAT.	<i>TOLERANCES</i> DEC. D) .XX ±.03 [.8mm]	ANGLES	MATE	RIAL	dra 4	w <mark>ing no.</mark> ICTM-12BBSCDM1	scale 0.250
REV.	DATE	BY	OTHER (ALL) .X	(x) .XX \pm .02 [.5mm] XX \pm .005 [.13 mm] ONS \pm 1/32 [.8 mm]]	FINIS	-	par 4₩	t no. /CTM-12BBSCDM1	SHEET 2 OF 2

PART DI	MENSIONS	
	MIN	МАХ
1	12.00	
1	22.75	24.00
ΙT	17.85	
INTER CAPACITY	35	
INER UOM	QUART	

CUSTOMER DRAWING



LE CONTRACTOR								PART I	DIMENSIONS M		MAX
						WIDTH			12.0		
						DEPTH			22.7		.00
						HEIGHT	г		17.8	85	
						CONTA	INTER CA	PACITY	35		
						CONTA	INER UOM	1	QUART		
						MIN	CABINET	OPENING			
						FACE FRAME		ELESS	INSET FACE FRAM	INSE //E FRAME	
					WIDTH	12.00	12.	.00	12.00	12.0	0
					DEPTH	22.75	22.	.75	23.50	23.5	0
					HEIGHT	18.35	18.	.35	18.35	18.3	.5
		Г				SLIDE SPECIFICATIO	ONS				
		SL	IDE MAN	IUFACTURER							
				T NUMBER	FX8122	RELEASE PART					
			IDE TYP		BALL BEARING	SLIDE EXTENSI		1.50" OT		MAX WEIGH RATING	
			IDE CLO		SOFT	SLIDE LENGTH SLIDE FINISH		22.00 [560] ZINC		150 LB	
		31		ATTING .	SIDE	SLIDE FINISH		LING			
						AMERICAN		BY DA'E		CUSTOMER DR.	
This drawing is the property of Rev-A-Sherf (RAS) and is disclosed nonfinitence to the extent it is subject matter is original to RAS. Any								N KRR 2	-19-21	SINGLE 35QT TO	P MOUNT
endor receiving this drawing from RAS shall hold and use this drawing or the sole benefit of RAS and shall not disclose it to, or use or explorate. If or any this pany, or perform any act adverses to the interest.			-			TOLERANCES MAT. DEC. ANGLES		MATERIAL		SOFT CLO IG NO. SCALE CTM-12BBSCDM1	0.250
of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or						(WOOD) XX 03 [J (OTHER) XX 02 [(ALL) XX 005 [13	1 (mm8 5mm) mm1	1/2 ~ FINISH	PART NO	0. SHEET OF	2
erformance characteristic unless authorized by Rev-A-Shelf Engineering.	REV.	DATE	BY	DESCR	PTION OF CHANGE	FRACTIONS 1/32 [J	8 mm]		4W0	CTM-12BBSCDM1	<u> </u>