

PART DI	MENSIONS	
	MIN	MAX
WIDTH	12.00	
DEPTH	23.25	24.50
HEIGHT	17.75	
CONTAINTER CAPACITY	27	
CONTAINER UOM	QT	


MIN CABINET OPENING									
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS					
WIDTH	12.00	12.00	12.00	12.00					
DEPTH	23.25	23.25	24.00	24.00					
HEIGHT	18.25	18.25	18.25	18.25					


SLIDE SPECIFICATIONS									
SLIDE MANUFACTURER									
SLIDE PART NUMBER	FX8122	RELEASE PART NUMBER							
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	I-I/2" O.T.	MAX WEIGHT					
SLIDE CLOSING	SOFT	SLIDE LENGTH	22.00" [560,0]	RATING					
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	150LB					

CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

				IN ICIT	AMERICAN PROJECTION	DRAWN	BY	6-07-22		REV-A-SHE	IF, inc.
				INCH [MM]		DRAWN	LC3	0-01-22	size B	DOUBLE 2	27QT FT CLOSE
				MAT. (WOOI	TOLERANCES DEC. D) .XX ±.03 [.8mm]	ANGLES	MATE	RIAL	DRA	i <mark>ng no.</mark> Wing no. ICTM-15BBSCDM2	SCALE 250
REV.	DATE	BY	DESCRIPTION OF CHANGE	(OTHEI	R) .XX ±.02 [.5mm (XX ±.005 [.13 mm IONS ±1/32 [.8 mm]]	FINISH	1	PAR 4W	TNO. /CTM-15BBSCDM2	SHEET 2 OF 2





PART DIMENSIONS								
MIN MAX								
WIDTH	12.00							
DEPTH	23.25	24.50						
HEIGHT	17.75							
CONTAINTER CAPACITY	27							
CONTAINER UOM	QT							

MIN CABINET OPENING										
	FACE FRAME	INSET FACE FRAME	INSET FRAMELESS							
WIDTH	12.00	12.00	12.00	12.00						
DEPTH	23.25	23.25	24.00	24.00						
HEIGHT	18.25	18.25	18.25	18.25						

SLIDE SPECIFICATIONS									
SLIDE MANUFACTURER									
SLIDE PART NUMB									
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	1-1/2" O.T.	MAX WEIGHT					
SLIDE CLOSING	SOFT	SLIDE LENGTH	22.00" [560,0]	RATING					
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	150LB					

CUSTOMER DRAWING

SE

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor rectiving the drawing from RAS shall hold and use this drawing vendor rectiving the drawing from RAS shall hold and use this drawing reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic lunless authorized by Rev-AS-helf Engineering.

				AMERICAN		BY	DATE		<u> </u>		¶ (6 0	
			INCH	PROJECTION	DRAWN	I CS	6-07-22	<u> </u>				
			[MM]				0 07 2.	SIZE		DOUBLE	. 27Q ⁻	ΓI
			ł					В	TOP	MOUNT:	SOFT	cid
				TOLERANCE		MATE	RIAI					
			MAT. (WOOD	DEC. 0) .XX .03 [.8mn	ANGLES			4١	NCTM). -15BBS(JDM24	250 J
			(OTHER	R) .XX .02 [.5mn	n]	FINISH						
REV.	DATE	BY	(ALL) .> FRACTI	ONS 1/32 [.8 m				4١	VCTM	-15BBS0	DM2	. 2
								_				-