

PART DIMENSIONS							
MIN MAX							
WIDTH	16.50						
DEPTH	22.62						
HEIGHT	21.75						
CONTAINTER CAPACITY	50						
CONTAINER UOM	QT						


MIN CABINET OPENING									
FACE FRAME FRAMELESS INSET FACE FRAME FRAMELES									
WIDTH	16.50	16.50	16.50	16.50					
DEPTH	23.00	23.00	23.75	23.75					
HEIGHT	22.25	22.25	22.25	22.25					


	SLIDE SPECIFICATIONS								
SLIDE MANUFACTURER									
SLIDE PART NUMB									
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	1-1/2" O.T.	MAX WEIGHT					
SLIDE CLOSING	NORMAL	SLIDE LENGTH	22.00" [560,0]	RATING					
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	150LB					

## CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent lis subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing reventor receiving the drawing from RAS shall hold and use this drawing reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or PAS. Vendors shall not revise any physical, dimensional or performance characteristic unless suthorized by Rev-A-Shelf Engineering.

					AMERICAN		BY	DATE		രണ്ഡപ്രസേദ	∏ <b>⊘®</b>
				INCH	PROJECTION	DRAWN	ICS	6-07-2	Ь	REV-A-SHE	KLT, INC.
				[MM]		Divitin	LCJ	0-07-2	SIZE	FL DOUBLE	50OT
									B	TOP MC	TINIT
				_	T						
				MAT.	TOLERANCE DEC.	ANGLE	MATE	RIAL	/1\A	WING NO. /CTM-1850DM	3 <sup>1</sup> 20512051€0
		_		(WOOE							
1	l	1			R) .XX .02 [.5mn		FINIS	4	PAR'	r NO. /CTM-1850DM	SHEET OF
REV.	DATE	BY	DESCRIPTION OF CHANGE		ONS 1/32 [.8 mi				4W	/CTM-1850DM	2-41/9-F4





PART DIMENSIONS								
MIN MAX								
WIDTH	16.50							
DEPTH	22.62							
HEIGHT	21.75							
CONTAINTER CAPACITY	50							
CONTAINER UOM	QT							

MIN CABINET OPENING								
FACE FRAME FRAMELESS INSET INSET FRAMELESS								
WIDTH	16.50	16.50	16.50	16.50				
DEPTH	23.00	23.00	23.75	23.75				
HEIGHT	22.25	22.25	22.25	22.25				

005 05.0								
SLIDE SPECIFICATIONS								
SLIDE MANUFACTURER								
SLIDE PART NUMBER	FX8022	RELEASE PART NUMBER						
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	I-I/2" O.T.	MAX WEIGHT				
SLIDE CLOSING	NORMAL	SLIDE LENGTH	22.00" [560,0]	RATING				
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	150LB				

## CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

				INCH	AMERICAN PROJECTION	DRAWN	BY	6-07-22	1	REV-A-SHE	JF, inc.
				[MM]		Dietwit	LCJ	0 01 22	size B	FL DOUBLE TOP MOU	50QT NT
				MAT. (WOO	TOLERANCES DEC. D) .XX ±.03 [.8mm]	ANGLES	MATE	RIAL	DRA 4W0	WING NO. TM-1850DM2-419-FL	SCALE 250
REV	/. DATE	BY	DESCRIPTION OF CHANGE	(OTHE	R).XX ±.02 [.5mm XXX ±.005 [.13 mm IONS ±1/32 [.8 mn	.] n]	FINISI	1	PAR 4WC	TNO. TM-1850DM2-419-FL	SHEET OF 2