


CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

REV.	DATE	BY	DESCRIPTION OF CHANGE

AMERICAN PROJECTION		BY	DATE	REV-A-SHELF, INC.	
INCH [MM]		DRAWN	KRR	7-16-19	SIZE
TOLERANCES		MATERIAL		DRAWING NO.	SCALE
MAT. DEC.		FINISH		4WCTM-2450BBSHOW-2.LH	0.200
(WOOD) .XX ±.03 [8mm]		PART NO.		4WCTM-2450BBSHOW-2.LH	SHEET 1 OF 2
(OTHER) .XX ±.02 [5mm]					
(ALL) .XX ±.005 [1.3 mm]					
FRACTIONS ±1/32 [8 mm]					



PART DIMENSIONS		
	MIN	MAX
WIDTH	21.00	22.15
DEPTH	22.50	24.50
HEIGHT	21.75	
CONTAINER CAPACITY	50	
CONTAINER UOM	QUART	


MIN CABINET OPENING				
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS
WIDTH	21.00	21.00	21.00	21.00
DEPTH	22.50	22.50	23.25	23.25
HEIGHT	23.00	23.00	23.00	23.00

SLIDE SPECIFICATIONS				
SLIDE MANUFACTURER				
SLIDE PART NUMBER		RELEASE PART NUMBER		
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	FULL	MAX WEIGHT RATING
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	22.00	
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	100 LB

CUSTOMER DRAWING




This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

REV.	DATE	BY	DESCRIPTION OF CHANGE

	AMERICAN PROJECTION		BY	DATE	REV-A-SHELF <sup>®</sup> , INC.	
INCH [MM]		DRAWN	KRR	7-16-19	SIZE B	DOUBLE 50 QT TM - LH
TOLERANCES			MATERIAL		DRAWING NO.	SCALE
MAT. DEC.		ANGLES ±1/2°			4WC TM-2450BBS CDW-2.LH	0.200
(WOOD) .XX ±.03 [8 mm]			FINISH		PART NO.	SHEET
(OTHER) .XX ±.02 [8 mm]					4WC TM-2450BBS CDW-2.LH	2 OF 2
(ALU.) .XX ±.005 [13 mm]						
FRACTIONS ±1/32 [8 mm]						

TOLERANCES  
MAT. DEC.  
(WOOD) .XX ±.03 [.8mm]  
(OTHER) .XX ±.02 [.5mm]  
(ALL) .XXX ±.005 [.13 mm]  
FRACTIONS ±1/32 [.8 mm]


ANGLES  
±1/2°




CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

REV.	DATE	BY	DESCRIPTION OF CHANGE

INCH [MM]		AMERICAN PROJECTION	BY		DATE		REV-A-SHELF <sup>®</sup> , INC.	
			DRAWN	KRR	7-17-19		SIZE B	DOUBLE 50 QT TM - RH
			TOLERANCES			MATERIAL		
MAT. DEC.			ANGLES ±1/2°			DRAWING NO.		
(WOOD) .XX ±.03 [.8mm]			FINISH			4WCTM-2450BSCDW-2.RH		
(OTHER) .XX ±.02 [.5mm]						SCALE		
(ALL) .XX ±.005 [.13 mm]						0.200		
FRACTIONS ±1/32 [.8 mm]						PART NO.		
						4WCTM-2450BSCDW-2.RH		
						SHEET 1 OF 2		



PART DIMENSIONS		
	MIN	MAX
WIDTH	21.00	22.15
DEPTH	22.50	24.50
HEIGHT	21.75	
CONTAINER CAPACITY	50	
CONTAINER UOM	QUART	


MIN CABINET OPENING				
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS
WIDTH	21.00	21.00	21.00	21.00
DEPTH	22.50	22.50	23.25	23.25
HEIGHT	23.00	23.00	23.00	23.00

SLIDE SPECIFICATIONS				
SLIDE MANUFACTURER				
SLIDE PART NUMBER		RELEASE PART NUMBER		
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	FULL	MAX WEIGHT RATING
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	22.00	
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	100 LB

CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

REV.	DATE	BY	DESCRIPTION OF CHANGE

	AMERICAN PROJECTION		BY	DATE	REV-A-SHELF <sup>®</sup> , INC.	
INCH [MM]			DRAWN	KRR	7-17-19	
					SIZE B	DOUBLE 50 QT TM - RH
TOLERANCES						
MAT. DEC.		ANGLES	MATERIAL	DRAWING NO.	SCALE	
(WOOD) .XX ±.03 [.8mm]		±1/2"		4WC TM-2450BBSCDW-2.RH	0.200	
(OTHER) .XX ±.02 [.5mm]						
(ALL) .XX ±.005 [.13 mm]			FINISH	PART NO.	SHEET	
FRACTIONS ±1/32 [.8 mm]				4WC TM-2450BBSCDW-2.RH	2	2

3.43808 2.38028 0.7802 2.78028 0.780

3.3780

2.3780

0.0000

20.8000

21.0000

21.1500 - 0.0000

22.5000 - 0.0000

12.5000

0.6250

15.5780 - 0.0000

1.1000

1.4961

1.7500


9.5600

1.4370

21.7500

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

REV.	DATE	BY	DESCRIPTION OF CHANGE

AMERICAN PROJECTION			BY DATE		REV-A-SHELF® INC.		
INCH (MM)		DRAWN	KRR	7-16-19	SIZE	B	DOUBLE 50 QT TM - LH
TOLERANCES		ANGLES 1/2	MATERIAL	DRAWING NO.	SCALE	SHEET OF	
MAT. DEC. (WOOD) .XX .03 (.8mm) (OTHER) .XX .02 (.5mm) (ALL) .XX .005 (.13 mm) FRACTIONS 1/32 (.8 mm)							
FINISH							
PART NO.							
4WCTM-2450BBS02002							
4WCTM-2450BBS02002		1/2		2			


CUSTOMER DRAWING

REV-A-SHELF, INC.

DOUBLE 50 QT TM - LH

4WCTM-2450BBS02002 LH

4WCTM-2450BBS02002 LH



PART DIMENSIONS		
	MIN	MAX
WIDTH	21.00	22.15
DEPTH	22.50	24.50
HEIGHT	21.75	
CONTAINER CAPACITY	50	
CONTAINER UOM	QUART	


MIN CABINET OPENING				
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS
WIDTH	21.00	21.00	21.00	21.00
DEPTH	22.50	22.50	23.25	23.25
HEIGHT	23.00	23.00	23.00	23.00


SLIDE SPECIFICATIONS				
SLIDE MANUFACTURER				
SLIDE PART NUMBER		RELEASE PART NUMBER		
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	FULL	MAX WEIGHT RATING
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	22.00	
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	100 LB


CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

		AMERICAN PROJECTION		BY	DATE	REV-A-SHELF, INC.	
		DRAWN		KRR	7-16-18	B	
		TOLERANCES		MATERIAL		DRAWING NO.	
		MAT. DEC. (WOOD) .XX .03 (.8mm) (OTHER) .XX .02 (.5mm) (ALL) .XX .005 (.13 mm) FRACTIONS 1/32 (.8 mm)		FINISH		4WCTM-2450BBSCDM-2	
		ANGLES 1/2				SCALE	
						4WCTM-2450BBSCDM-2	
						SHEET OF	
						2	
						LH	
REV.	DATE	BY	DESCRIPTION OF CHANGE				



AMERICAN PROJECTION		BY DATE	REV 4-SHELF, INC.	
INCH [MM]	DRAWN KRR 7-17-19	SIZE	B DOUBLE 50 QT TM - RH	
				
TOLERANCES		ANGLES	MATERIAL	DRAWING NO.
MAT.	DEC.	1/2		SCALE
(WOOD) XX .03 (8mm)	(WOOD) XX .03 (8mm)			4WCTM-2450BBS02MD2 RH
(ALL) XXX .005 (1.5mm)	(ALL) XXX .005 (1.5mm)		FINISH	PART NO.
				SHEET OF
				4WCTM-2450BBS02MD-2 RH




MIN CABINET OPENING				
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS
WIDTH	21.00	21.00	21.00	21.00
DEPTH	22.50	22.50	23.25	23.25
HEIGHT	23.00	23.00	23.00	23.00

SLIDE SPECIFICATIONS				
SLIDE MANUFACTURER				MAX WEIGHT RATING
SLIDE PART NUMBER		RELEASE PART NUMBER		
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	FULL	
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	22.00	
SLIDE MOUNTING	SIDE	SLIDE FINISH	ZINC	100 LB

## CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall not use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

				(MM)		DRAWN	RNN 7-17-1	SIZE	B	DOUBLE 50 QT TM - RH
						ANGLES 1/2	MATERIAL	DRAWING NO.	4WCTM-2450BBS	SCALE 50/200
							FINISH	PART NO.	4WCTM-2450BBS	SHEET OF C2M-2 RH
REV.	DATE	BY	DESCRIPTION OF CHANGE	TOLERANCES DEC. (WOOD) .XX (OTHER) .XX (ALU) .XXX (OTHER) .XX (WOOD) .XX (OTHER) .XX (ALU) .XXX (OTHER) .XX (WOOD) .XX (OTHER) .XX (ALU) .XXX (OTHER) .XX						